



IsoLink™
OIL TRANSFER CONTAINER

IsoLink™ Oil Transfer Containers

The first best practice solution to keep oil clean and dry during oil transfer. With non-desiccant and desiccant breather options, as well as quick connects for clean filling, IsoLink isolates oil from the environment providing the ultimate in best practice contamination control.

APPLICATIONS:

- Transferring small volumes of oil
- Topping off reservoirs
- Small volume storage



LIDS

Optional non-desiccant or desiccant breathers keep oil clean and dry while in the container.

An optional ISO B quick connect allows new, pre-filtered oil to be added to the container without exposing it to the atmosphere.

The trigger mechanism in the dispensing lid keeps fluid isolated until engaged, controlling moisture and contamination. It also enables variable flow control when dispensing.

SPOUTS

Interchangeable spouts allow more flexibility with the standard dispensing lid and eliminate the need for funnels. They are available in different lengths, tip sizes, colors, and either rigid or extended options.

CONTAINERS

Industrial-grade HDPE containers will not chemically react with oil or additive packages. The square design provides 27% more storage capacity than round containers.

Three sizes available:

1 gallon/4 liters, 1.8 gallons/7 liters, 2.6 gallons/10 liters.





IsoLink™

OIL TRANSFER CONTAINER



ACCESSORIES

The pump, pump cap, and color-coding ring allow for even more control of your lubricant storage and handling.



LUBRICANT TAGGING SYSTEM

The Lubricant Tagging system provides a versatile nomenclature to classify industrial lubricating oil in generic terms. Primary attributes of common lubricant types are identified based on Base Oil Type, Viscosity Grade, and Oil Type/Additive Package with a pattern, shape, and color system. This system makes it easy to identify the lubricant a component holds without small fonts or overly-complicated information.

SPOUTS, PUMP CAPS, AND PUMP RINGS COME IN 11 DIFFERENT COLORS FOR COLOR-CODING:

- Gray
- White
- Black
- Red
- Blue
- Yellow
- Beige
- Orange
- Purple
- Light Green
- Dark Green



IsoLink Dispensing Lid configurations

Make sure you have selected everything you need to make a complete IsoLink Oil Transfer Container!

- CONTAINER**
- DISPENSING LID**
- SPOUT**



CONTAINERS

1 Gallon / 4 Liter Container	DC-OTC-C-4
1.8 Gallon / 7 Liter Container	DC-OTC-C-7
2.6 Gallon / 10 Liter Container	DC-OTC-C-10



DC-OTC-L-D-B-BB Shown

DISPENSING LID

Dispensing Lid with Vent Plug (no breather)	DC-OTC-L-D-P-VP
Dispensing Lid with Non-Desiccant Breather	DC-OTC-L-D-P-ND2
Dispensing Lid with Desiccant Breather	DC-OTC-L-D-P-BB
Dispensing Lid with ISO B Plug & Vent Plug (no breather)	DC-OTC-L-D-B-VP
Dispensing Lid with ISO B Plug & Non-Desiccant Breather	DC-OTC-L-D-B-ND2
Dispensing Lid with ISO B Plug & Desiccant Breather	DC-OTC-L-D-B-BB

16" EXTENDED SPOUT 1" TIP



Gray	DC-OTC-S-E-16-16-1
Black	DC-OTC-S-E-16-16-2
White	DC-OTC-S-E-16-16-3
Blue	DC-OTC-S-E-16-16-4
Red	DC-OTC-S-E-16-16-5
Yellow	DC-OTC-S-E-16-16-6
Beige	DC-OTC-S-E-16-16-7
Light Green	DC-OTC-S-E-16-16-8
Dark Green	DC-OTC-S-E-16-16-9
Purple	DC-OTC-S-E-16-16-10
Orange	DC-OTC-S-E-16-16-11

16" EXTENDED SPOUT 1/4" TIP



Gray	DC-OTC-S-E-16-04-1
Black	DC-OTC-S-E-16-04-2
White	DC-OTC-S-E-16-04-3
Blue	DC-OTC-S-E-16-04-4
Red	DC-OTC-S-E-16-04-5
Yellow	DC-OTC-S-E-16-04-6
Beige	DC-OTC-S-E-16-04-7
Light Green	DC-OTC-S-E-16-04-8
Dark Green	DC-OTC-S-E-16-04-9
Purple	DC-OTC-S-E-16-04-10
Orange	DC-OTC-S-E-16-04-11

IsoLink Dispensing Lid configurations

5" RIGID SPOUT WITH 1" TIP



THESE 11 COLORS ARE AVAILABLE
ON ALL SPOUT OPTIONS!

Gray	DC-OTC-S-R-5-16-1
Black	DC-OTC-S-R-5-16-2
White	DC-OTC-S-R-5-16-3
Blue	DC-OTC-S-R-5-16-4
Red	DC-OTC-S-R-5-16-5
Yellow	DC-OTC-S-R-5-16-6
Beige	DC-OTC-S-R-5-16-7
Light Green	DC-OTC-S-R-5-16-8
Dark Green	DC-OTC-S-R-5-16-9
Purple	DC-OTC-S-R-5-16-10
Orange	DC-OTC-S-R-5-16-11

8" RIGID SPOUT WITH 1" TIP



Gray	DC-OTC-S-R-8-16-1
Black	DC-OTC-S-R-8-16-2
White	DC-OTC-S-R-8-16-3
Blue	DC-OTC-S-R-8-16-4
Red	DC-OTC-S-R-8-16-5
Yellow	DC-OTC-S-R-8-16-6
Beige	DC-OTC-S-R-8-16-7
Light Green	DC-OTC-S-R-8-16-8
Dark Green	DC-OTC-S-R-8-16-9
Purple	DC-OTC-S-R-8-16-10
Orange	DC-OTC-S-R-8-16-11

8" RIGID SPOUT WITH 1/2" TIP



Gray	DC-OTC-S-R-8-08-1
Black	DC-OTC-S-R-8-08-2
White	DC-OTC-S-R-8-08-3
Blue	DC-OTC-S-R-8-08-4
Red	DC-OTC-S-R-8-08-5
Yellow	DC-OTC-S-R-8-08-6
Beige	DC-OTC-S-R-8-08-7
Light Green	DC-OTC-S-R-8-08-8
Dark Green	DC-OTC-S-R-8-08-9
Purple	DC-OTC-S-R-8-08-10
Orange	DC-OTC-S-R-8-08-11

8" RIGID SPOUT WITH 1/4" TIP



Gray	DC-OTC-S-R-8-04-1
Black	DC-OTC-S-R-8-04-2
White	DC-OTC-S-R-8-04-3
Blue	DC-OTC-S-R-8-04-4
Red	DC-OTC-S-R-8-04-5
Yellow	DC-OTC-S-R-8-04-6
Beige	DC-OTC-S-R-8-04-7
Light Green	DC-OTC-S-R-8-04-8
Dark Green	DC-OTC-S-R-8-04-9
Purple	DC-OTC-S-R-8-04-10
Orange	DC-OTC-S-R-8-04-11

COMPATIBLE AND
INTERCHANGEABLE
WITH ALL SPOUTS!



IsoLink Pump Lid configurations

Make sure you have selected everything you need to make a complete IsoLink Oil Transfer Container!

- CONTAINER**
- PUMP LID**
- PUMP**
- COLLAR**
- PUMP LID CAP (OPTIONAL)**



CONTAINERS

1 Gallon / 4 Liter Container	DC-OTC-C-4
1.8 Gallon / 7 Liter Container	DC-OTC-C-7
2.6 Gallon / 10 Liter Container	DC-OTC-C-10



DC-OTC-L-P-P-ND2 Shown

PUMP LID

Pump Lid with Vent Plug (no breather)	DC-OTC-L-P-P-VP
Pump Lid with Non-Desiccant Breather	DC-OTC-L-P-P-ND2
Pump Lid with Desiccant Breather	DC-OTC-L-P-P-BB
Pump Lid with ISO B Plug & Vent Plug (no breather)	DC-OTC-L-P-B-VP
Pump Lid with ISO B Plug & Non-Desiccant Breather	DC-OTC-L-P-B-ND2
Pump Lid with ISO B Plug & Desiccant Breather	DC-OTC-L-P-B-BB



DC-OTC-P-B-10 Shown

PUMP

Pump with dispensing nozzle, 5 foot hose	DC-OTC-P-D-5
Pump with dispensing nozzle, 10 foot hose	DC-OTC-P-D-10
Pump with 1/2" ISO B coupler, 5 foot hose	DC-OTC-P-B-5
Pump with 1/2" ISO B coupler, 10 foot hose	DC-OTC-P-B-10

PUMP COLOR-CODING COLLAR

Gray	DC-OTC-R-1
Black	DC-OTC-R-2
White	DC-OTC-R-3
Blue	DC-OTC-R-4
Red	DC-OTC-R-5
Yellow	DC-OTC-R-6
Beige	DC-OTC-R-7
Light Green	DC-OTC-R-8
Dark Green	DC-OTC-R-9
Purple	DC-OTC-R-10
Orange	DC-OTC-R-11



IsoLink Kits and Accessories

ISOLINK KITS



BASIC KIT



NON-DESICCANT BREATHER KIT



BEST PRACTICE KIT

Basic Kit

DC-OTC-K-B

Includes: (1) of each size container, (2) basic dispensing lids with vent plugs (no breathers), (1) blue 5" spout with 1" tip, (1) red 8" spout with 1/2" tip, (1) black 16" extended spout with 1" tip, (1) pump lid, (1) pump cap, (1) yellow pump with 5' nozzle hose, (1) yellow pump color-coding ring

Non-Desiccant Breather Kit

DC-OTC-K-N

Includes: (1) of each size container, (2) dispensing lids with vent plugs & non-desiccant breathers, (1) blue 5" spout with 1" tip, (1) red 8" spout with 1/2" tip, (1) black 16" extended spout with 1" tip, (1) pump lid with non-desiccant breather, (1) yellow pump cap, (1) pump with 5' nozzle hose, (1) yellow pump color-coding ring

Best Practice Kit

DC-OTC-K-P

Includes: (1) of each size container, (2) dispensing lids with ISO B plugs & desiccant breathers, (1) blue 5" spout with 1" tip, (1) red 8" spout with 1/2" tip, (1) black 16" extended spout with 1" tip, (1) pump lid with ISO B plug & desiccant breather, (1) yellow pump cap, (1) 5' pump with ISO B Coupler, (1) yellow pump color-coding ring, (1) lubricant tagging package

PUMP LID CAP

Gray	DC-OTC-L-P-C-1
Black	DC-OTC-L-P-C-2
White	DC-OTC-L-P-C-3
Blue	DC-OTC-L-P-C-4
Red	DC-OTC-L-P-C-5
Yellow	DC-OTC-L-P-C-6
Beige	DC-OTC-L-P-C-7
Light Green	DC-OTC-L-P-C-8
Dark Green	DC-OTC-L-P-C-9
Purple	DC-OTC-L-P-C-10
Orange	DC-OTC-L-P-C-11



LUBRICANT TAGGING COLOR CODING PACKAGE

Lubricant Tagging Package

DC-OTC-C-L

